

KMB6

Jistič, 2P



[Hz] 50	Icn [A] 6000	 C	 2P	 2	IP 20	 1÷25
 -5÷40	 TH 35	Ui [V] 500	CE	EAC	VDE	UK CA

KMB6-C16/2

	[V]		In [A]
KMB6-C16/2	23178	230/400 AC	2 16
KMB6-C2/2	32556	230/400 AC	2 2
KMB6-C6/2	32583	230/400 AC	2 6
KMB6-C10/2	32584	230/400 AC	2 10
KMB6-C20/2	32586	230/400 AC	2 20
KMB6-C25/2	32587	230/400 AC	2 25
KMB6-C32/2	32588	230/400 AC	2 32
KMB6-C40/2	32589	230/400 AC	2 40
KMB6-C50/2	32590	230/400 AC	2 50
KMB6-C63/2	32591	230/400 AC	2 63

5 let záruky shodně s podmínkami záručního prohlášení dostupného na [internetové stránce](#)

Jistič slouží k ochraně před přetížením a zkratem v instalacích a zařízeních.

• -

KMB6

Jistič, 2P



KMB6-C16/2



KMB6-C2/2



KMB6-C6/2



KMB6-C10/2



KMB6-C20/2



KMB6-C25/2



KMB6-C32/2



KMB6-C40/2




KMB6-C50/2




KMB6-C63/2

KMB6


Jistič, 2P




KMB6-C16/2




KMB6-C2/2




KMB6-C6/2




KMB6-C10/2




KMB6-C20/2




KMB6-C25/2




KMB6-C32/2



KMB6-C40/2



KMB6-C50/2



KMB6-C63/2