

KMCCB

Kompaktní jistič KMCCB



[V] 230/400 AC	[Hz] 50	Ui 800	Uimp 8000	IP 20	3P
3	CE				



KMCCB-F-125A

	Ue	Kategoria użytkowania	Ics	Icu
KMCCB-F-125A	36290	380/415; 220/230	A	18kA (380/415V AC); 25kA (220/230V AC)
KMCCB-F-200A	36291	380/415; 220/230	A	27kA (380/415V AC); 36kA (220/230V AC)
KMCCB-F-250A	36292	380/415; 220/230	A	27kA (380/415V AC); 36kA (220/230V AC)



KMCCB-F-125A



KMCCB-F-200A



KMCCB-F-250A

Příslušenství

36294	KMCCB-F-125A/AL/L	Alarm kontakt
--------------	-------------------	---------------

KMCCB

Kompaktní jistič KMCCB



36293 KMCCB-F-125A/AX/L Pomocný kontakt



36303 KMCCB-F-125A/RL/R Napěťová spoušť



36296 KMCCB-F-125A/UV Podpěťová spoušť



36298 KMCCB-F-250A/AL/L Alarm kontakt



36297 KMCCB-F-250A/AX/L Pomocný kontakt



36306 KMCCB-F-250A/RL/R Napěťová spoušť

KMCCB

Kompaktní jistič KMCCB



36300

KMCCB-F-250A/UV

Podpěťová spoušť

